

MONITORING OF ENVIRONMENTAL PLAN FOR JN PORT ENVIRONMENTAL MONITORING REPORT- EXECUTIVE SUMMARY

1. Ambient Air Monitoring:

Monthly average values of Air Pollutants at various stations in JNPT Area during June, 2018.

Station Name	PM ₁₀	PM _{2.5}	SO _x	NO _x	O ₃	Pb	As	Ni	C ₆ H ₆	B(a)P	CO	CO ₂
	µg/m ³	ng/m ³	ng/m ³	µg/m ³	ng/m ³	µg/m ³	ppm					
NAAQS	100	60	80	80	100	1	6	20	5	1	4	-
Industrial (Port Operation) area												
POC	84.9	48.9	36.5	36.5	12.8	<0.5	<5	<1.0	1.58	<0.5	1.73	378.4
IMC	75.1	46.4	34.2	40.5	12.4	<0.5	<5	<1.0	1.69	<0.5	1.66	360.9
NG	81.8	52.3	32.9	40.1	13.5	<0.5	<5	<1.0	1.53	<0.5	1.66	356.8
APM	76.9	46.1	33.9	38.8	12.7	<0.5	<5	<1.0	1.82	<0.5	1.68	346.4
BMCT	66.5	48.6	35.9	35.9	12.1	<0.5	<5	<1.0	1.53	<0.5	1.48	375.4
Residential area												
RC	58.3	43.8	27.6	27.9	13.4	<0.5	<5	<1.0	1.48	<0.5	1.52	348.9
Eco sensitive area												
EC	54.2	33.4	21.1	25.4	8.1	<0.5	<5	<1.0	<1.0	<0.5	<1.0	305

Conclusion:

- 24-hr average ambient air quality were measured at seven locations viz. POC, JNP residential township, IMC, EC, North Gate, BMCT and APM terminals using high volume samplers (APM 460 NL and APM 550 MFC).
- From the results obtained for the month of June, 2018, it is noticed that overall ambient air quality of the JN Port area is within CPCB permissible limits for all parameters. In this month rain also helps by making dust particles stick to the ground. The port is also taking number of precautionary measures such as time to time cleaning of paved and unpaved roads, use of tarpaulin sheets to cover dumpers and tree plantation.

Corrective Action Suggested:

- Time to time collection of wreckage and frequent cleaning should be done from paved and unpaved road.
- Green mesh cloth should be used to minimize dust generated during renovation work at JNP Township.
- PUC documents must be strictly checked of all vehicles entering into the port region and promote for routine maintenance of vehicle to lessen emission.
- Mechanical cleaning of road must be initiated at port premises to reduce PM₁₀.
- Avoid excessive idling of automobiles and ships.
- Avoid excessive use of electrical appliances, when it in not in use.
- Dumper carrying construction material and earth filling material must be covered with tarpaulin sheet to avoid spreading of dust particle in the air.
- As preventative measure people should wear mask to avoid inhalation of dust particle.
- Plantation of trees adjacent to the construction site/road for wind barriers.

2.0 Marine Water Quality

Table 3. Observed Concentration Ranges of Marine Water for Various Parameters for JNP Area during Tidal Cycle (For June, 2018)

Sl. No.	Parameter	Unit	Observed Range (Harbour)	Prescribed Limits
1	Temperature	°C	23.7-26.2	-
2	pH	-	7.0-7.9	6.5 - 9.0
3	Salinity	ppt	31.5-34.8	-
4	Turbidity	NTU	20.3-39.1	-
5	TDS	mg/L	20654-24917	-
6	TSS	mg/L	99-139	-
7	TS	mg/L	20769-25046	-
8	DO	mg/L	7.0-7.52	3.0 mg/L(min.) or 40% of saturation value
9	COD	mg/L	52-96	-
10	BOD	mg/L	<2.0	5 (max.)

11	NH ₃ -N	mg/L	<1.0	-
12	Phenol	mg/L	<0.001	-
13	Oil & Grease	mg/L	<4.0	10 (max.)
14	Total Plate Count	CFU/ml	62-122	-
15	Fecal Coliforms	MPN/100ml	45-112	500 (max.)

Conclusion:

From the above results it can be concluded that, the Port's working does not affect the Quality of the Marine water. The overall Marine Water Quality of the Harbour is in good category.

3.0 Marine Ecology (Flora and Fauna)

Sr. No.	Parameter	Observed Range	Criteria
1	Net Primary Productivity	75-112.5 mg C/m ³	<1500 mg C/m ³ /day at surface
2	Chlorophyll a	0.612-1.598 mg/m ³	<4 mg/m ³ (Oligotrophic class), 4-10 mg/m ³ (Mesotrophic class), >10 (Eutrophic class)
3	Phosphate	44-88 µg/L	0.1-90 µg/L
4	Nitrate	1856-2501 µg/L	1.0-500 µg/L
5	Nitrite	<10 µg/L	<125 µg/L
6	Particulate Organic Carbon	438-596 mg/m ³	10-100 mg/m ³
7	Silicate	1123-1352 µg/L	10-5000 µg/L

The results obtained from the study for the month of June 2018. The values for Nitrates and Particulate Organic Carbon (POC) exceeds the prescribed standards which might be usual phenomenon happening due to discharge of untreated sewage and Industrial waste in to the sea water by the nearby municipal corporation and villages etc. On the other hand, Net Primary Productivity and Chlorophyll-a were well within prescribe standards for ecological parameters for Arabian Sea.

Phosphate, Nitrite and Silicate are also well within prescribing standards for ecological parameters for Arabian Sea. However, considering the activities in JNP Harbour, it is seen that the marine ecosystem is not adversely affected by Port activities.



Corrective Action Suggested:

Proper care should be taken for treatment of sewage and industrial waste before discharging into the open sea by concerned authorities like Brihanmumbai Municipal Corporation, Thane Municipal Corporation, Panvel Municipal Corporation, Uran Municipal Council, Navi Mumbai Municipal Corporation and MIDCs and nearby villages etc.

4.0 Drinking Water Quality

The drinking water being supplied to JN Port is safe for drinking purpose. At all drinking water monitoring stations around port area are found to be as per the drinking water specifications given in IS 10500:2012 and also on the basis of analysis parameters.