

MONITORING OF ENVIRONMENTAL PLAN FOR JN PORT

ENVIRONMENTAL MONITORING REPORT- OCTOBER 2022 EXECUTIVE SUMMARY

1.0 Ambient Air Monitoring:

Monthly average values of Air Quality parameters at various stations in JNP Area during October, 2022.

Parameters			Industrial (Port Operation) Area							Residential Area	Eco Sensitive area
			Locations								
	Units	NAAQS	IMC	NG	SEZ	APM	BMCT	CB	DP World	RC	EC
PM ₁₀	µg/m ³	100	147.24	174.76	190.31	86.05	100.06	86.54	118.60	48.05	61.17
PM _{2.5}	µg/m ³	60	64.54	64.02	75.60	56.20	61.17	52.55	48.22	37.97	35.94
SO ₂	µg/m ³	80	14.84	14.08	13.86	13.93	13.89	12.28	12.28	8.42	2.27
NO ₂	µg/m ³	80	11.32	10.55	10.32	14.93	10.35	8.69	8.69	4.98	3.10
NH ₃	µg/m ³	80	25.35	24.10	23.73	23.85	22.59	22.01	22.01	14.75	6.39
O ₃	µg/m ³	100	100.77	90.40	94.29	103.17	32.93	68.41	24.76	44.36	56.86
Pb	µg/m ³	0.5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
As	ng/m ³	6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Ni	ng/m ³	20	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
C ₆ H ₆	µg/m ³	5	2.45	2.37	2.34	2.35	2.35	2.17	1.57	1.24	0.90
B(a)P	ng/m ³	1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CO	mg/m ³	4	0.86	0.82	0.81	0.81	0.81	0.72	0.50	0.34	0.29
AQI			131.49	149.84	160.21	93.66	103.91	87.59	112.40	63.28	61.17

1.1 Continuous Ambient Air Quality Monitoring:

Monthly average values of Air Quality parameters by Continuous Ambient Air Quality Monitoring Station at Port Operation Center (POC) - JNP area during October, 2022

Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	NH ₃	O ₃	C ₆ H ₆	CO	C ₇ H ₈	NO	NO _x	AQI
	ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	mg/m ³	ug/m ³	ug/m ³	ug/m ³	Remarks:
NAAQS	100	60	80	80	400	100	5	2	--	--	--	Satisfactory
Average October-22	98.54	44.03	2.52	37.33	1.60	11.58	10.2	0.47	29.04	29.59	66.93	98.54

Conclusion:

- 24-hr average concentration of PM₁₀, PM_{2.5}, SO₂, NO₂, NH₃ and other parameters were measured at ten locations with one continuous at POC and 9 fixed Monitoring station viz. IMC, NG, SEZ, APM, BMCT, CB, DP World, JNP residential township and EC area using high volume air samplers, respirable dust sampler (APM 460 NL and APM 550 MFC) and gaseous sampler.
- During October, 2022 overall ambient air quality of the JNP is within CPCB permissible limits except PM₁₀, at IMC, NG, SEZ, BMCT, CB and DP World is due to activities associated with road movement and expansion works. To improve air quality the port is using number of precautionary measures, such as maintained a wide expanse of Green cover, initiated Inter-Terminal Transfer (ITT) of tractor-trailers, switched from diesel to electrically powered e-RTGCs which not just help saving cost also eco-friendly to environment, 4.10 MWp. 38% of avg. power requirement is from renewable energy, the use of LED lights at JNP area helps in lower energy consumption and decreases the carbon foot prints in the environment, time to time cleaning of paved and unpaved roads, use of tarpaulin sheets to cover dumpers at project sites etc. are helping to achieve the cleaner and green future at port.
- JNPA Goes Green by deploys 13 e-vehicles and committed to sustainable growth to reduce the port's impact on the environment and neighboring communities. E-cars are zero-emission vehicles that enable the transition of JN Port to green and energy-efficient mobility solutions. The work of concretizing roads at JN Port will reduce fuel consumption, travelling time and maintenance smooth movement of traffic on the port road.
- JNPA received 244.50 mm of rainfall during the month of October, 2022. The total rainfall of 2367.00 mm was recorded from April 2022 to October 2022. The prominent wind direction (blowing from) was the North West (NW) in the port area. Average values of wind speed, temperature, relative humidity and solar radiation recorded were 1.69 Km/Hr, 28.79 °C, 77.65 % and 39.12 W/m² respectively. The maximum wind speed recorded was 4.71 Km/Hr.

Solution towards the Green port:

- Alternative technology, clean energy, and clean fuel will provide a solution for zero emissions.
- Use of renewable energy like Solar energy should be optimal and ensure to work continuously.
- Avoid excessive idling of automobiles and ships.
- Perform periodic maintenance for electrical and water systems.

- Use the public transport at public interaction places as much as possible.
- Dumper carrying construction material and earth filling material must be covered with tarpaulin sheet to reduce dispersal of dust in the air.
- Practice should be initiated for using mask as preventative measure, to avoid inhalation of dust particle.
- To avoid airborne disease Port workers must maintain a safe distance.
- New services and technology like Electric cart, Inter-Terminal Transfer (ITT) are worthy selection to reduce Port operation efficiency and fuel cost.
- Conventional RTGCs should be altered as E-RTGCs counting inside the port completely.
- New scanning technology and new high power Tugs are reducing operation timing and CO2 Emission are good creativity.

2.0 Marine Water Quality

Observed concentration ranges of Marine Water for various parameters for JNP area during tidal cycle (For October, 2022).

Sr. No.	Parameter	Observed Range	Unit	Prescribed Limits
1	Temperature	°C	27.27-29.96	-
2	pH	-	7.98-8.54	6.5 - 9.0
3	Salinity	ppt	31.45-39.90	-
4	Turbidity	NTU	10.70-104	-
5	TDS	mg/L	25645-32503	-
6	TSS	mg/L	167-318	-
7	TS	mg/L	25872-32684	-
8	DO	mg/L	2.24-5.13	3.0 mg/L(min.) or 40% of saturation value
9	COD	mg/L	22.4-98	-
10	BOD	mg/L	1.35-4.49	5 (max.)
11	Ammonia	mg/L	0.0366-0.7525	-
12	Phenol	mg/L	0.018-0.151	-
13	Oil & Grease	mg/L	0.058-0.874	10 (max.)
14	Total Plate Count	CFU/ml	136-336	-
15	Fecal Coliforms	MPN/100ml	167-731	500 (max.)

Conclusion:

From the above results it can be concluded that, the Port's working does not affect the Quality of the Marine water. The overall Marine Water Quality of the Harbour is in good category.

3.0 Marine Ecology (Flora and Fauna):

Sl. No.	Parameter	Observed Range	Criteria
1	Net Primary Productivity	21.90-86.36 mg C/m ³ /day	<1500 mg C/m ³ /day at surface
2	Chlorophyll a	0.1068-1.2816 mg/m ³	<4 mg/m ³ (Oligotrophic class), 4-10 mg/m ³ (Mesotrophic class), >10 mg/m ³ (Eutrophic class)
3	Phosphate	23.27-193.11 µg/L	0.1-90 µg/L
4	Nitrate	482.93-792.90 µg/L	1.0-500 µg/L
5	Nitrite	27.60-92.18 µg/L	<125 µg/L
6	Particulate Organic Carbon	4.30-7.42 mg/m ³	10-100 mg/m ³
7	Silicate	34.46-45.37 µg/L	10-5000 µg/L

The results obtained from the study for the month of October, 2022. Nitrates, Nitrite and were observed higher than prescribed standards limits of ecological parameters for Arabian Sea as monsoon upwelling causes enormous increase of these nutrient. Net Primary Productivity and Chlorophyll-a were well within prescribed standards for ecological parameters for Arabian Sea. However, considering the activities in JNP Harbour, it is seen that the marine ecosystem is not adversely affected by Port activities.

Corrective Action Suggested:

Proper care should be taken for treatment of sewage and industrial waste before discharging into the open sea by nearby concerned cities, industrial estates and villages etc.

4.0 Drinking Water Quality

The drinking water being supplied to JN Port is safe for drinking purpose. At all drinking water monitoring stations around port area are found to be as per the drinking water specifications given in IS 10500:2012 and also on the basis of analysis parameter.

5.0 Monitoring Performance of Sewage Treatment Plant

It is seen that the performance of STP at JNP Township is satisfactory by overall. The treatment plant was well maintained during [October 2022] with considerable removal efficiency achieving the standards prescribed for final disposal.