



# जवाहरलाल नेहरू पोर्ट ट्रस्ट JAWAHARLAL NEHRU PORT TRUST

ISO 9001 : 2008  
ISO 14001:2004  
ISO 27001:2013  
OHSAS 18001: 2007

पत्तन कार्यालय : प्रशासन भवन, शेवा, नवी मुंबई - 400 707. Port Office : Administration Bldg., Sheva, Nave Mumbai - 400 707.  
मुख्य सतर्कता अधिकारी Chief Vigilance Officer-(022) 2724 2292; मुख्य प्रबंधक (प्रशासन) एवं सचिव Chief Manager (Admn.) & Secy-(022) 2724 2233;  
मुख्य प्रबंधक (यातायात) Chief Manager (Traffic)-(022) 2724 2377; मुख्य प्रबंधक (यां. एवं वि. अ.) Chief Manager (M&EE)-(022) 2724 2218;  
मुख्य प्रबंधक (वित्त) Chief Manager (Fin)-(022) 2724 2241; मुख्य प्रबंधक (प. यो. वि.) Chief Manager (PP&D)-(022) 2724 2326;  
उप-संरक्षक Dy. Conservator (022) 2724 2301; हार्बर मास्टर Harbour Master - (022) 2724 4173.

Website : www.jnport.gov.in E-mail : info@jnport.gov.in

JNP/Marine/HM/ 1052

9 th February, 2021

## CORRIGNEDUM TO LOCAL NOTICE TO MARINERS NO. 1/2021

Sub: Completion of Capital Dredging of the BMCTPL basin - withdrawal of Local Notice to Mariners No.01/2021.

The Capital Dredging has been carried out at BMCTPL for Deepening, the maneuvering area of BMCTPL from 12.8 mtrs to 14.4 mts below chart datum and the same has been completed. The final Hydrographic survey chart is attached for reference.

In view of the above, the Local Notice Mariners No.1/2021 issued by JNPT is hereby withdrawn.

*Spishith*

Harbour Master/ Dy Conservator IC

Encl: A/a.

To

1. Ship Owners/Masters/Agents
2. MANSA/CSLA/INSA
3. ONGC Nhava Base
4. Gujarat Ambuja Cement
5. Dy.Conservator, MbPT
6. DG Shipping
7. Maharashtra Maritime Board
8. Department of Fisheries
9. National Hydrographic Office, Dehradun
10. Asstt. Manager (Mktg.) - for uploading on JNP Website.



SOP-003  
Existing structure of existing structure  
Let 1000 sq ft / Let 1000 sq ft

SOP-004  
Existing structure of existing structure  
Let 1000 sq ft / Let 1000 sq ft

SOP-014  
Existing structure of existing structure  
Let 1000 sq ft / Let 1000 sq ft

JNP-SC-02

